USE WHAT THE **PROS** USE



SPRING & SUMMER



POLYMER AIR HOSE K-5038FRL 50 ft. x 3/8" All-Weather Flexibility (-40°C to 65°C Comes with mounting

2

• All-Weather Flexibility (-40°C to 65°C) • Comes with wall mounting \$109.99

POLYMER AIR HOSE K-10014FRL 100 ft. x 1/4" • All-Weather Flexibility (-40°C to 65°C) • 360° swivel base \$109.99

65°C)

 INDUSTRIAL AIR HOSES

 HYBRID POLYMER INDUSTRIAL AIR HOSES

 K-2514H
 25'x 1/4"

 K-2518H
 25'x 3/8"

 K-5014H
 50'x 1/4"

 K-5014H
 50'x 1/4"

 K-5014H
 50'x 1/4"

 K-5014H
 50'x 1/4"

 K-5038H
 50'x 3/8"

 K-10014H
 100'x 1/4"

 K-10038H
 100'x 3/8"

 S65.99
 300 PSI MAXIMUM PRESSURE

 GARDEN HOSES
 K-5058GH

 150 PSI (Working)
 5/8" x 50 ft.

 450 PSI (Burst)
 \$45.

 K-10058GH
 5/8" x 100 ft.

 \$77.
 \$77.

 Extreme All-Weather Flexibility Kink resistant



13" PLANER / MOULDER



PLANERS WITH SPIRAL CUTTERHEADS

KING

KING.

15" PLANER WITH SPIRAL CUTTERHEAD KC-390FX

- Θ Powerful 3 HP motor (220V motor)
 A spiral cutterhead is 50% quieter than a conventional cutterheadh
- Anti-kickback fingers in front of the
- infeed roller to prevent wood kickback Magnetic safety switch
- Comes complete with cabinet stand and 4" dust collector outlet

4 Row spiral cutterhead with 22.111 74 replaceable cutter inserts

\$3249.

20" PLANER WITH SPIRAL CUTTERHEAD KC-526FX

- Powerful 5 HP motor (220V motor) 📀 A spiral cutterhead is 50% quieter than a conventional cutterhead
- Anti-kickback fingers in front of the infeed roller prevents wood kickback Magnetic safety switch Comes with 5" dust chute

4 Row spiral cutterhead with 98 replaceable cutter inserts

\$4999.

CARBIDE CUTTER INSERT KITS

KW-140 • Carbide inserts cut on all 4 sides

KING.

KW-104 • Carbide inserts cut on all 4 sides • Cutter size: 15mm x 15mm x 2.5mm • Cutter size: 14mm x 14mm x 2mm Fits: KC-10HJC/KC-525FX/ KC-530FXR/ KC-12HJPC Fits KC-526FX / KC-530FX / KC-630FX-2/ KC-630FX-6









POWER FEEDERS



DRILL PRESSES & ACCESSORIES

15" VARIABLE SPEED INDUSTRIAL DRILL PRESS








OSCILLATING SPINDLE SANDERS OSCILLATING 24 1/4"x 24 1/4" cast iron tilting table SPINDLE SANDER & ACCESSORIES KC-OVS-FX3 1" to 4" rubber drums can be fitted OSCILLATING SPINDLE SANDER on both ends for full use of the entire spindle KC-OVS-TL 4" Dust chute for dust collector hook-up **SLEEVES** • Table can be tilted downwards up to a maximum of 45° to allow the sanding Heavy-duty oil bath of beveled parts 5"x 1/4" to 9"x 4" gearbox with oil level Comes standard with 3 spindles (1/4", 1/2" and 5/8") and 2 drums (1-1/2" and 2") sight gauge 10 interchangeable Price Model Sleeve Size Grit Unit/Kit 5" x 1/4" 80 1 10 interchangeable spindles (1/4" x 5", 3/8" x 6", 1/2" x 6", 5/8" x 6", 3/4" x 9", 1" x 9", 1 1/2" x 9", 2" x 9", 3"x 9" and 4" x 9") \$6.99 \$6.99 \$799. 51-525-8 -525-120 5" x 1/4" 120 \$6.99 \$6.99 SL-638-80 6" x 3/8 80 120 1 SL-638-120 6" x 3/8" SL-612-80 6" x 1/2 80 \$6.99 SLEEVE KITS <u>SL-612-120</u> SL-658-80 6" x 1/2 6" x 5/8 120 80 \$6.99 \$6.99 KING 5 9/16" - 1/4" to 2" Includes 3 KING 120 1 SL-658-120 6" x 5/8 \$6.99 interchangeable \$9.99 \$9.99 80 1 120 1 SL-934-80 6" x3/4 Grit Units/Kits Price Model Sleeve Size SL-934-120 table inserts and adjustment keys 6" x 3/4 SL-514-K-80 59/16" x 1/4" 80 2 SL-514-K-120 59/16" x 1/4" 120 2 \$14.99 \$14.99 SL-910-80 SL-910-120 80 120 \$9.99 \$9.99 9" x1" 9" x1" SL-514-K-120 5 9/16" x 1/2" 80 2 SL-512-K-80 5 9/16" x 1/2" 80 2 SL-512-K-120 5 9/16" x 1/2" 120 2 SL-512-K-80 5 9/16" x 1/2" 120 2 SL-512-K-80 5 9/16" x 3/4" 80 2 \$14.99 \$2299 OPTIONAL SL-915-80 9" x 1 1/2" 80 1 \$9.99 \$14.99 \$14.99 SL-915-120 9" x 1 1/2" 120 1 \$9.99 **STAND** SL-920-80 9" x 2" 80 í \$9.99 SL-534-K-120 5 9/16" x 3/4" 60 2 2 SL-534-K-120 5 9/16" x 3/4" 120 2 SL-515-K-80 5 9/16" x 1 1/2" 80 2 SL-515-K-120 5 9/16" x 1 1/2" 120 2 \$14.99 9″<u>x 2</u> \$9.99 \$14.99 SS-OVS-TL SL-920-120 120 \$14.99 9" x 3 80 1 SL-930-80 \$14.99 SL-930-120 9" x 3" 120 1 \$14.99 \$139 5 9/16" x 2" 80 2 5 9/16" x 2" 120 2 \$14.99 SL-520-K-80 5L-940-8 80 1 120 1 \$24.99 \$24.99 9″x4 20-K-120 5 9/16" x 2 \$14.99 SL-940-120 9″x4 2" X 42" BELT & 8" DISC SANDER MAGNETIC SWITCHES KMAG-110-811 110V (8-11 Amp.) ABRASIVE KC-770FX KMAG-110-1114 CLEANER Comes with twist lock Powerful 1 HP, 6.2 Amp direct drive motor Both a 1" and a 2" sanding belt can be installed Comes with 1" x 42" sanding belt, 2" x 42" sanding belt, 1" & 2" belt platens, 2 x 8" emergency stop buttor KMAG-110-1417 K-1306 KMAG-220-811 1/2" x 8 1/2" Comes with padlock and adhesive sanding discs, miter gauge and adjustment hex. keys KMAG-220-1114 220V (11-14 Amp. 2 spare keys 影問 KMAG-220-1417 \$16,99 1 HP Motor <u> 7999</u> KMAG-220-1721 220V (17-21 Amp. 499 **Dust Collector** Ð Bag KC-790FX KDCB-790 \$1799 12" DOVETAIL JIG K-2796 Handles materials from 5/16" to **\$39**.99 1 1/4" thick, and widths up to 12" Unit includes 1/2" aluminum template Θ (111111) \$119.⁹⁹ KC-790FX-DC 999 6" x 48" BELT & 9" DISC SANDER KING. KC-760L Two 2-1/2" dust chutes with 2-1/2" to 4" adaptor for dust collector hook-up Comes complete with miter gauge, 2-1/2"to 4" dust chute adaptor and sturdy enclosed cabinet stand **1 HP Motor** KING 99 KING 9" STICK-ON ADHESIVE DISC KITS ModelDisc sizeGritUnits/KitsPriceSD-9-K-609"603\$7.96 80 100 120 6" X 48" BELT & **12" DISC SANDERS** 6"x 48" SANDING BELT KITS Powerful 1.5 HP, 110V/220V motor Model Belt Size Grit Units/Kits Pric SB-648-K-60 6"x 48" 60 2 \$12. SB-648-K-80 6"x 48" 80 2 \$12. 4" dust chute for dust collector hook-up \$12.99 \$12.99 (KC-790FX only) Comes with aluminum miter gauge, cast-iron SB-648-K-100 6"x 48" 100 2 SB-648-K-120 6"x 48" 120 2 \$12.99 \$12.99 work stop, T-slot centre point, enclosed stand 10 and adjustment hex, keys









30 PC VARIABLE SPEED OSCILLATING **MULTI-TOOL KIT & ACCESSORIES**

8349QR Each kit includes a sanding back-up pad with hook and loop backing, 24 sanding papers (60, 80 and 120 grit) with hook and loop backing, 35mm Tru-cut narrow offset saw blade, 52mm rigid offset scraper blade,hex. key, and





550 CFM AIR MOVER 8500AM

3 speed switch Comes with two on-board 120V outlets to connect up to 3 Air Movers together for bigger jobs

Emits

8000

lumens

Stackable

WET-DRY VACUUMS **Double filtration system**

8520LP

Powerful 3.5 Peak HP motor 5 US Gallon (20L) Comes complete with 6 ft. x1-1/4" hose, 2 pc. plastic extension wand, 20L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool

\$69.99

8530LPN

Powerful 4 Peak HP motor 8 US Gallon (30L) Comes complete with 6 ft. x1-1/4" hose, 2 pc. plastic extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool

\$89.99

8540LST

Powerful 5 Peak HP motor 10 US Gallon (40L) Comes complete with 6 ft. x1-1/4" hose, 2 pc. stainless extension wand, 40L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool

\$179.⁹⁹

8560LST

\$79.⁹⁹

Powerful 6.5 Peak HP motor 16 US Gallon (60L) Convenient 18 ft. power cord Comes complete with 8 ft. x 2-1/2" flex hose, 2 pc. 2-1/2" extension wand, handle with air control. cartridge filter, foam filter, 14" floor sweep with squeegee insert, gulper tool, crevice tool and hanging accessory storage bag

\$299.99



DRYWALL & PANEL LIFT **KDL-11**

\$219.99

VARIABLE SPEED **DRYWALL SANDER** KC-8379 LED light illuminates the work

TRIGGERED Comes with 6 hoop & loop sanding papers (2 x 80, 120, 180 Grit), extension tube, dust hose, 2 vacuum adaptors (1-1/4" & 1-3/8") and adjustment hex. key

WET-DRY VACUUM WITH HEPA FILTER KC-8590TTV 10 Amp. motor

\$399.99

8 GALLON TOOL



METAL CUTTING BANDSAW \$199.99 PORTABLE VARIABLE SPEED

- Variable speed dial for 0-420 SFPM Comes with standard 44-7/8" x 1/2" x 0.025"-
- 14 TPI metal cutting blade

OPTIONAL

Miter Stand turns this Bandsaw into a Cut-off Saw **\$99**.99 SS-8377

> Length Width TPI Thickness Price Model
> KBB-8376-BM-1014
> 44
> 7/8"
> 1/2"
> 10-14
> .020"
>
>
> KBB-8376-BM-1418
> 44
> 7/8"
> 1/2"
> 14-18
> .020"
> \$24.99 \$24.99

1/2" DRILLING & MIXING KIT KC-8316

9 Amp. motor Comes with 1/2" chuck, 3 galvanized mixing paddles (10mm hex. shank), wrench and sturdy carrying case

Hangs drywall in sizes up

Tripod foot brake keeps

drywall lift in position

Easy to assemble and

disassemble, can be

placed in car trunk

to 4 ft. x 16 ft. on any ceiling or wall up to

11 ft. high

during use

BISCUIT JOINER KIT KC-8306

Motor: 7 Amp. 10,800 RPM Robust fence with 0 to 90° and 90° to 135° tilt adjustments with positive stops at 45° & 90° Kit includes 4" carbide tipped blade, dust bag, hex. key and plastic carrying case



49 99

15

149 99



K-5016-5LED • 50 foot 16 AWG /3

• 75 linear feet of coverage at 10 feet in height Waterproof to IP44 standards \$99.99

